

Relationship Between Interior Problems and Exterior Problems- City of Detroit, MI

Based on the American Housing Survey - 2009 Detroit, MI MSA Data for Occupied Housing

Exterior Problem	Homes (000s)	Likelihood of Finding an Interior Problem if an Exterior Problem is Reported Compared to the Likelihood of Finding an Interior Problem if an Exterior Problem is Not Reported*									
		Leaks		Rodents		Heating		Structural			Resident Dissatisfied
		From Interior	From Exterior	Rats	Mice	Heating Problem	Fire/CO Danger	Cracks in Walls	Holes in Floors	Paint/ plaster	
Sagging roof	20.8	3.3	2.0			2.6	19.3	3.4	10.3	5.0	11.6
Missing roofing material	30.0	2.1	1.5			2.4		2.0	7.5		18.3
Hole in roof	16.4	2.4	3.1			2.7		5.2	13.0	5.4	33.5
Sloping outside walls	10.8	2.5	2.5	11.3		2.9	10.9	3.6	12.5	2.5	11.9
Missing bricks, siding, other outside wall material	30.7	2.0	2.1			2.1		2.1		3.0	7.9
Broken windows	22.7	2.2	2.5		3.0	3.0		2.8	4.4	3.5	10.3
Boarded up windows	7.5						15.6				6.8
Foundation crumbling or has open crack or hole	28.8	1.9	2.2		2.4	2.5		3.0	5.1		15.7
One or more ext. problem	80.4	1.7	2.2		2.2	2.3		2.5		3.0	12.5
Two or more ext. problem	37.4	2.7	2.7		2.3	2.8		3.1	10.4	3.3	36.0
Three or more ext. problem	20.7	2.8	2.4			3.3		3.5	10.3	3.4	11.7
Four or more ext. problem	14.9	2.9	2.2	7.9		4.2	7.9	4.3	7.1	3.8	16.2
Five or more ext. problem	6.9	3.7	2.1	15.5		4.0	17.1	4.1	7.3	5.6	38.9
Six or more ext. problem	4.4	4.5	2.9	24.3		3.5	31.3	4.8	12.1	4.0	61.1
Seven or more ext. problem	3.0	3.5		35.8			46.0	4.8	17.9		46.8
Eight or more ext. problem	<0.1										

*NOTE: The American Housing Survey data show that exterior conditions and interior conditions are related. The greater the number of exterior problems, the greater the likelihood of interior problems. As such, a useful approach to screening housing is a windshield survey, where you identify the homes with multiple exterior hazards such as a sagging roof, a sloping outside wall, missing bricks and broken windows. A house with this many exterior problems is likely to have significant interior problems.

Relationship Between Interior Problems and Exterior Problems

The National Center for Healthy Housing developed the table to help communities make homes healthier by giving them a better understanding of the direct relationship between exterior problems such as a sloping outside wall and interior problems such as rats, large holes in the floor, and water damage that can impact resident health and safety. With this understanding, communities can more effectively and efficiently identify homes with serious health and safety threats and set priorities for assessments of the interior. The table is based on the American Housing Survey (AHS). The AHS tracks some but not all items related to health. For example, it does not track cockroaches, radon, lead-based paint, and carbon monoxide levels.

Background on American Housing Survey

The AHS is conducted by the Bureau of the Census for the Department of Housing and Urban Development (HUD) to describe the condition of the Nation's housing. The AHS includes apartments, single-family homes, mobile homes, and vacant housing units. It describes household characteristics, income, housing and neighborhood quality, housing costs, equipment and fuels, size of housing unit, and recent movers. National data are collected in odd numbered years, and data for each of 47 selected Metropolitan Statistical Areas (MSA) are collected currently about every six years. The national sample covers an average 55,000 housing units. Each metropolitan area sample covers 4,100 or more housing units. The AHS returns to the same housing units year after year to gather data; therefore, this survey is ideal for analyzing the flow of households through housing. For more information, go to www.census.gov/hhes/www/housing/ahs/ahs.html.

Key Definitions Related to Healthy Homes

- **Leaks – Interior or Exterior:** Resident reported leakage that occurred in the 12 months prior to the interview or while the household was living in the unit if less than 12 months. Housing units with water leakage are classified by whether the water leaked in from outside the building (roof, basement, walls, closed windows, or doors) or inside of the building (fixtures backed up or overflowed or pipes leaked).
- **Rodents – Rats or Mice:** Resident reported mice or rats if they saw mice or rats or signs of mice or rats inside the house or building during the 3 months prior to interview or while the household was living in the unit if less than 3 months. Signs of mice or rats include droppings, holes in the wall, or ripped, or torn food containers.
- **Heating – Heating Problems:** Resident reported that the home was uncomfortably cold for 24 hours or more during the winter prior to the interview for any reason.
- **Heating – Fire / CO Danger:** Resident reported using as primary heating source either room heater without flue (i.e., any room heater that burns kerosene, gas, or oil, and that does not connect to flue, vent, or chimney or a stove or oven for heat), portable electric heater, stove, cooking stove, fireplace without insert or no heat.
- **Structural – Cracks in Walls:** The resident reported open cracks or holes in the interior wall or ceilings of the housing unit. Included are cracks or holes that do not go all the way through to the next room or to the exterior of the housing unit. Hairline cracks or cracks that appear in the walls or ceilings but are not large enough to insert the edge of a dime, are not counted. Very small holes caused by nails or other similar objects are also not counted.
- **Structural – Holes in Floors:** The resident reported holes in the interior floors of the unit. The holes may or may not go all the way through to a lower floor or to the exterior of the unit. The holes are only counted if large enough for someone to trip in.
- **Structural – Paint / Plaster:** The resident reported peeling paint or broken plaster. The area of peeling paint or broken plaster must be on the inside walls or ceilings and at least one area of broken plaster or peeling paint must be larger than 8 inches by 11 inches.
- **Resident Dissatisfied:** The resident rated structure based on a scale from 1 to 10, where 10 is the best and 1 is the worst. Resident is dissatisfied if the structure is rated 1, 2 or 3.

National Center for Healthy Housing

See www.nchh.org/Training/HealthyHomesTrainingCenter/AHSData.aspx

Relationship Between Interior Problems and Exterior Problems- Detroit, MI MSA

Based on the American Housing Survey - 2009 Detroit, MI MSA Data for Occupied Housing

Exterior Problem	Homes (000s)	Likelihood of Finding an Interior Problem if an Exterior Problem is Reported Compared to the Likelihood of Finding an Interior Problem if an Exterior Problem is Not Reported*									
		Leaks		Rodents		Heating		Structural			Resident Dissatisfied
		From Interior	From Exterior	Rats	Mice	Heating Problem	Fire/CO Danger	Cracks in Walls	Holes in Floors	Paint/ plaster	
Sagging roof	45.4	2.9	2.2	11.0		2.0	7.0	4.0	8.7	9.4	7.2
Missing roofing material	77.8	2.1	1.8			2.0		2.8	6.4	3.7	9.4
Hole in roof	31.6	3.4	4.2	14.0		3.0		7.7	12.3	10.1	10.4
Sloping outside walls	22.1	2.7	2.5	20.5		3.2	6.2	5.3	16.8	5.9	11.6
Missing bricks, siding, other outside wall material	55.4	2.3	1.9	8.5		2.4		2.8		7.0	4.0
Broken windows	50.1	2.8	2.8	10.0	3.3	2.9		4.7	4.3	7.2	6.4
Boarded up windows	10.3		2.1			2.9	13.3			7.0	7.3
Foundation crumbling or has open crack or hole	50.4	2.4	2.3	10.0	2.5	2.5	6.2	3.7	10.4	3.6	6.3
One or more ext. problem	204.4	1.8	2.2		1.6	2.1		3.1	4.8	6.9	4.1
Two or more ext. problem	68.9	2.9	3.0	7.0	2.8	2.7		4.9	7.5	7.1	8.9
Three or more ext. problem	33.8	4.2	3.1	14.0		3.5		7.2	11.5	7.9	9.7
Four or more ext. problem	17.6	4.5	2.8	27.5		4.8	7.8	7.1	12.1	13.2	13.7
Five or more ext. problem	8.9	5.6	3.2	48.0		4.7	15.5	7.0	13.7	19.1	27.2
Six or more ext. problem	6.4	6.7	4.1	67.0		4.1	21.5	8.0	19.1	16.0	37.9
Seven or more ext. problem	3.0	4.7	2.9	143.0		4.1	46.0	7.9	40.9	9.9	51.1
Eight or more ext. problem	<0.1										

*NOTE: The American Housing Survey data show that exterior conditions and interior conditions are related. The greater the number of exterior problems, the greater the likelihood of interior problems. As such, a useful approach to screening housing is a windshield survey, where you identify the homes with multiple exterior hazards such as a sagging roof, a sloping outside wall, missing bricks and broken windows. A house with this many exterior problems is likely to have significant interior problems.

Relationship Between Interior Problems and Exterior Problems

The National Center for Healthy Housing developed the table to help communities make homes healthier by giving them a better understanding of the direct relationship between exterior problems such as a sloping outside wall and interior problems such as rats, large holes in the floor, and water damage that can impact resident health and safety. With this understanding, communities can more effectively and efficiently identify homes with serious health and safety threats and set priorities for assessments of the interior. The table is based on the American Housing Survey (AHS). The AHS tracks some but not all items related to health. For example, it does not track cockroaches, radon, lead-based paint, and carbon monoxide levels.

Background on American Housing Survey

The AHS is conducted by the Bureau of the Census for the Department of Housing and Urban Development (HUD) to describe the condition of the Nation's housing. The AHS includes apartments, single-family homes, mobile homes, and vacant housing units. It describes household characteristics, income, housing and neighborhood quality, housing costs, equipment and fuels, size of housing unit, and recent movers. National data are collected in odd numbered years, and data for each of 47 selected Metropolitan Statistical Areas (MSA) are collected currently about every six years. The national sample covers an average 55,000 housing units. Each metropolitan area sample covers 4,100 or more housing units. The AHS returns to the same housing units year after year to gather data; therefore, this survey is ideal for analyzing the flow of households through housing. For more information, go to www.census.gov/hhes/www/housing/ahs/ahs.html.

Key Definitions Related to Healthy Homes

- **Leaks – Interior or Exterior:** Resident reported leakage that occurred in the 12 months prior to the interview or while the household was living in the unit if less than 12 months. Housing units with water leakage are classified by whether the water leaked in from outside the building (roof, basement, walls, closed windows, or doors) or inside of the building (fixtures backed up or overflowed or pipes leaked).
- **Rodents – Rats or Mice:** Resident reported mice or rats if they saw mice or rats or signs of mice or rats inside the house or building during the 3 months prior to interview or while the household was living in the unit if less than 3 months. Signs of mice or rats include droppings, holes in the wall, or ripped, or torn food containers.
- **Heating – Heating Problems:** Resident reported that the home was uncomfortably cold for 24 hours or more during the winter prior to the interview for any reason.
- **Heating – Fire / CO Danger:** Resident reported using as primary heating source either room heater without flue (i.e., any room heater that burns kerosene, gas, or oil, and that does not connect to flue, vent, or chimney or a stove or oven for heat), portable electric heater, stove, cooking stove, fireplace without insert or no heat.
- **Structural – Cracks in Walls:** The resident reported open cracks or holes in the interior wall or ceilings of the housing unit. Included are cracks or holes that do not go all the way through to the next room or to the exterior of the housing unit. Hairline cracks or cracks that appear in the walls or ceilings but are not large enough to insert the edge of a dime, are not counted. Very small holes caused by nails or other similar objects are also not counted.
- **Structural – Holes in Floors:** The resident reported holes in the interior floors of the unit. The holes may or may not go all the way through to a lower floor or to the exterior of the unit. The holes are only counted if large enough for someone to trip in.
- **Structural – Paint / Plaster:** The resident reported peeling paint or broken plaster. The area of peeling paint or broken plaster must be on the inside walls or ceilings and at least one area of broken plaster or peeling paint must be larger than 8 inches by 11 inches.
- **Resident Dissatisfied:** The resident rated structure based on a scale from 1 to 10, where 10 is the best and 1 is the worst. Resident is dissatisfied if the structure is rated 1, 2 or 3.

National Center for Healthy Housing

See www.nchh.org/Training/HealthyHomesTrainingCenter/AHSData.aspx/